

# INDEX MAPS.

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer.

	6	5	4	3	2	1
	7	8	9	10	11	12
	18	17	16	15	14	13
154	157	160	Michigan Road Lands			
	19	20	21	22	23	24
154	157	159		162		
154	30	29	28	27	26	25
	156	158	161	162		
155	31	32	33	34	35	36
	153	159	152	152		

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer.

	170	170	169	169	168	168
173	6	5	4	3	2	1
	193	193	189	185	181	177
174	7	8	9	10	11	12
	194	194	190	186	181	177
174	18	17	16	15	14	13
	195	195	191	187	182	178
175	19	20	21	22	23	24
	197	196	191	187	183	179
175	30	29	28	27	26	25
	198	197	192	188	184	180
176	31	32	33	34	35	36
	198	192	189	184	180	173

The figures on the lines refer to the page.

# Township 37 North Range 3 West 2<sup>nd</sup> Mer. Ind.

G. L.	North Boundary, (Var 5° 10' E.)
West	On the S. side of Sec. 36 T 38 N R 3 W,
16.83	To a W. Oak 16 in dia. in the line,
35.16	To a Hickory 6 " " " "
37.00	Enter a wet prairie
40.00	Set the gr. sec. cor. post from which no bearings. raise a mound. springs on each side,
44.00	To a spring branch 3 1/4 mi. wide on. W. N. W.
51.50	" the same a 6 " " " S. W
52.50	" " Do. " " " " " N. W.
56.00	" scattering timber
60.60	To a Hickory 24 in dia. in the line where Enter a dry prairie
80.00	Set a post cor. to Secs. 35 & 36 in post. a W. Oak 18 in dia. bears N 68° W 219 ft. & a Bl. Oak 20 " " " " " " " 280 " " Land rolling & 2 <sup>nd</sup> rate & the timber is Bl. W. & R. Oak Hickory & h. G. Hickory Oak,

West	On the S. side of Sec. 35 T 38 N R 3 W
2.50	Leave the wet prairie
8.50	To a stream 15 ft. wide on. N. W. & where Enter a wet prairie
34.50	Leave the same
40.00	Set the gr. sec. cor. post from which a Bl. Oak 14 in dia. bears N 65° W 25 ft. & a W. Oak 14 " " " " " " " N 15° E 16 " dia.
62.55	To a Bl. Oak 22 " " in the line,
80.00	Set a post cor. to Secs. 34 & 35 from wh. a W. Oak 18 in dia. bears N 20° W 30 ft. & a Do. 16 " " " " " " " N 14° E 98 " rolling & 2 <sup>nd</sup> rate & 3 <sup>rd</sup> rate & the land is timbered with Bl. Oak R & W Oak & Hickory & h. G. Hickory & Oak &



T. 37 N. R. 3 W. 2<sup>nd</sup>. New Ind.

6. L.	
West	On S. side of sec. 34 T 38 N R 3 W
21.16	To a Hickory 16 in. dia. in the live,
22.00	" " Branch 3 lbs. wide cr. N.W.
25.00	after various cropping leave same N.W.
40.00	Set the Dr. sec. cor. post from which a W. Elm 28 in. dia. bears N 42 E 16 lbs., & a Lyrus 18 " " " N 20 W 34.
43.00	To a mineral spring cr. N.W.
46.50	" " Branch 12 lbs. wide cr. N.W.
57.59	" " Red Oak 20 in. dia. in the live,
80.00	Set a post cor. to sec. 33 & 34 from wh. a Hickory 8 in. dia. bears N 19 E W 20 lbs., Do. Do. 8 " " " N 48 E 6 " dia. Part level & part rolling & sec. rate & the timber is Beech, R. O. B. & W. Oak & Poplar Lyrus Hickory &c. N. G. Spruce Ash &c.

West	On the S. side of sec. 33 T 38 N R 3 W
2.30	To a Branch 10 lbs. wide cr. N.
22.90	" " G. Ash 16 in. dia. in the live,
24.00	" " Stream 10 lbs. wide cr. N. sluggish
40.00	Set the gr. sec. cor. post from which a W. Oak 30 in. dia. bears N 57 E 50 lbs., & a Do. 30 " " " N 61 W 75 "
51.50	To a Do. 34 " " in the live.
57.00	" " stream 4 lbs. wide cr. S.E. sluggish
68.00	" " Do. 4 " " " W. N.W. 4 ft. deep & enter barrens
80.00	Set a post cor. to sec. 32 & 33 a W. Oak 14 in. dia. bears N 60 E 31 lbs., & a Do. 16 " " " N 44 W 99 " The 1 <sup>st</sup> 1/2 mile is sec. rate & heavy timbered with Poplar Beech Ash &c Sec. 1/2 mile barrens 3. rate Land

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. A.

170

C. L. The timber is W & Bl Oak &c, &  
the N. G. is Spruce Oak Hickory &c,

Met On the S. side of sec 32 T 38 N 3 W  
15.25 To a Branch 4 lks wide ex. N. W.  
35.50 " " Do. 4 " " " North  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 38 in. dia. bears N 68 E 161 lks dist,  
no other bearing tree convenient,  
Level poor 3<sup>rd</sup> rate land & all barns,  
80.00 Set a post cor. to sec. 31 & 32 —  
a W. Oak 22 in. dia. bears N 57 E 16 lks,  
La Do. 18 " " " N 15 W 99 "  
Land level poor 3<sup>rd</sup> rate barns W. Oak &c,  
the mud, & the is Oak Hickory &c

Met On the S. side of sec. 31 T 38 N 3 W  
16.08 To a W. Oak 24 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from wh,  
a Bl. Oak 18 in. dia. bears N 57 W 55 lks,  
La Do. 22 " " " N 73 E 83 "  
43.75 To a Branch 3 lks wide ex. W. S. W,  
59.06 To a Bl. Oak 22 in. dia. in the line,  
76.25 " " Stream 50 lks wide ex. S. W,  
80.00 Set a post in marsh cor. to Town  
37. & 38 N. Range 3 & 4 W from wh,  
a Birch 18 in. dia. bears N 4 E 34 lks dist,  
La W. Oak 22 " " " N 32 W 33 " "  
La Bl Oak 18 " " " S 19 W 31 " "  
La W. Elm 18 " " " S 58 E 40 " "  
Land level & 3<sup>rd</sup> rate & the timber is  
Bl. W. & R. Oak Hickory &c, N. G. Oak &  
Hickory &c, June 24<sup>th</sup> 1829 (1829)  
Surveyed by Thos. Brown, D. S. —

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

East Boundary.	
6.25	On the E. side of sec. 12
South	To a W. Oak 16 in. dia. in the line
24.45	Set the gr. sec. cor. post from which
40.00	a Bl. Oak 22 in. dia. bears S 25° W 59 <sup>th</sup> 1/2
	& a Do. 22 " " " N 30° W 89 "
46.00	To a Buttonwood Swamp cor. W
61.10	" " Hickory 6 in. dia. in the line
70.00	Enter a glade cor. E & W,
74.50	Leave the do.
80.00	Set a post cor. to sec. 12 & 13,
	a W. Oak 16 in. dia. bears N 84° W 29 <sup>th</sup> 1/2
	& a Do. 18 " " " S 44° W 130 "
	Land rolling sandy & 2 <sup>nd</sup> rate & the timber is
	W. & Bl. Oak Hickory &c,
	and, & the is Hickory & Oak &c

South	On the E. side of sec. 12,
22.86	To a Sp. Oak 20 in. dia. in the line,
	& Enter a rich & heavy timbered land
40.00	Set the gr. sec. cor. post from which
	a Spruce 30 in. dia. bears S 25° W 15 <sup>th</sup> 1/2
	& a Hickory 3 " " " N 29° W 11 " "
52.60	To a Poplar 24 " " in the line,
65.69	" " Sugar 16 " " " " "
80.00	Set a post cor. to sec. 12 & 13 from wh,
	a Beech 10 in. dia. bears N 6° W 35 <sup>th</sup> 1/2
	& an Ironwood 6 " " " N 47° W 29 " "
	Land rolling rich & 2 <sup>nd</sup> rate & the timber is
	Spruce, Sugar Walnut, Beech Ash Oak &c
	& the Ind. & the is Spruce Hickory Spruce &c

South	On the E. side of sec. 13,
9.50	Enter a Lane. & this swamp
	Comp?





T. 37 N, R. 3 W, 2<sup>nd</sup>, New, Ind.<sup>a</sup>C. S.  
40.00Set the gr. sec. cor. post in prairie  
where raise a mound,

80.00

Set a post cor. to sec. 25 & 36 in. do,  
where raise a mound  
Land level & set rate prairie,

South

On the E. side of sec. 36

24.71

To line running E. from cor. of sec.  
on S. bend of Lake Michigan 67.39  
East of the 31<sup>st</sup> mile post or 12.61 W.  
of the 32<sup>nd</sup> mile, raise a mound &  
set post cor. frac. Town 37 N, Range 243 W,  
Land level & 2<sup>nd</sup> rate & all prairie,June 22<sup>nd</sup>, 1829,

Surveyed by

Thomas Brown. Dep. Sur.

## West Boundary, T.

(Var. 5<sup>th</sup> 35<sup>th</sup> E.)

South

On the E. side of sec. 1 T 37 N R 4 W

1.50

To a creek 50 yds. wide cor. S. 1 W,

3.50

Cut on the E. bend of same stream

7.75

To the same stream cor. S. E

11.75

" " " " S. W,

15.32

" a branch 50 yds. wide cor. S. W.

&amp; Enter bearing

17.80

To a Bl. Oak 18 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which  
a W. Oak 16 in. dia. bears S 87<sup>1</sup>/<sub>2</sub> W 64 yds.  
& a Bl. Oak 8 " " " N 32<sup>1</sup>/<sub>2</sub> W 53 "

49.50

To a spring branch 3 yds. wide cor. S W,

58.50

" " Glade 50 yds. wide cor. S.

65.50

" a Bl. Oak 20 in. dia. in the line,

80.00

Set a post cor. to sec. 1 &amp; 2 fr. wh.



174

T. 37 N. R. 3 W. 2<sup>nd</sup>, Nov. Ind.<sup>a</sup>

6. L.

80.00

Set a post cor. to sec. 1 & 12 from which  
a Bl Oak 16 in dia, bears N 6 W 55 the dia  
to W. Oak 8 " " " S 70 E W 30 " "  
Land is level sec? 1<sup>st</sup> rate & the  
timber is W & Bl. Oak Hickory &  
the mud, & the is Sapafay Oak & White Oak

South On the E. side of sec. 12. T 37 N R 4 W,

4.15 To a spring branch 3 the wide on W,

8.50 " " " Do. 3 " " " N.E,

12.50 " " " Do. 4 " " " N.E,

24.82 " " W. Oak 14 in dia, in the line,

33.95 " " Branch 4 the wide on N.W,

40.00 Set the gr. sec. cor. post from which  
a Bl. Oak 16 in dia, bears N 3 W 32 the,  
to W. Oak 20 " " " N 26 W 143 "

47.00 Enter wet funny land

55.50 To a Branch 5 the wide on N.W,

52.50 Leave wet land

80.00 Set a post cor. to sec. 12 & 13 from which  
a W. Oak 22 in dia, bears N 63 W 160 the dia,  
to a Bl. Oak 22 " " " S 22 E W 142 " "

Fast rolling land & 3<sup>rd</sup> rate, & the timber  
is W & Bl. Oak, Hickory & the  
mud, & the is Hickory Oak & Sapafay,

South On the E. side of sec. 13. T 37 N R 4 W

15.50 To a Branch 4 the wide on N.W  
Enter wet land.

20.00 Leave the marsh

22.45 To a W. Oak 10 in dia, in the line,

26.25 " " Spring course N.W,

40.00 Set the gr. sec. cor. post from which  
a Hickory 15 in dia, bears N 49 W 65 the,

T. 37 N. R. 3 W. 2<sup>nd</sup>. Nov. Ind.<sup>a</sup>

6. L. a Hickory 14 in dia. bears S 45° W 34 lbs.  
 60.35 To a Hickory 24 " " in the line,  
 80.00 set a post cor. to sec. 13 & 24 from wh.  
 a W. Oak 8 in dia. bears N 20° W 90 lbs. dia.  
 & Bl. Oak 22 " " " S 40° W 54 " "  
 Land rolling 3<sup>rd</sup> rate & the timber is  
 scattering Oak, Hickory &c. & the mud, &c.  
 is short Hickory W. Oak saplings shrubs &  
 whortberry, & Red root brakes &c —

South On the E. side of sec. 24 T. 37 N. R. 4 W  
 2.30 Enter open marsh  
 10.00 Leave the same  
 29.11 To a Hickory 14 in dia. in the line,  
 40.00 set the gr. sec. cor. post from which  
 a Hickory 8 in dia. bears N 9° W 72 lbs.  
 & a Hickory 16 " " " S 41° W 165 "  
 55.00 Enter good timber  
 60.00 To a Branch 4 lbs. wide cor. NW & dry  
 65.40 " " W. Oak 24 in dia. in the line,  
 80.00 set a post cor. to sec. 24 & 25 from wh.  
 a Hickory 8 in dia. bears S 26° W 22 lbs. dia.  
 & a Spruce 5 " " " N 58° W 53 " "  
 The first 1/2 mile is poor barren & 3<sup>rd</sup> rate  
 & 2<sup>nd</sup> 1/2 mile is rolling 2<sup>nd</sup> rate land  
 with lofty timber, Bl. R. & W. Oak &c  
 Hickory, Spruce, Aspen Ash Elm &c,  
 Mud, &c. & saplings Hickory Oak &c

South On the E. side of sec. 25 T. 37 N. R. 4 W  
 17.16 To a Birch 22 in dia. in the line,  
 40.00 set the gr. sec. cor. post from which  
 a W. Oak 6 in dia. bears N 10° W 31 lbs.  
 & a Spruce 10 " " " S 58° W 36 "

176

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

Gr. L.

54.20 To a Red Oak 24 in dia. in the line,  
80.00 Set a post cor. to sec. 25 & 36 from wh.  
a W. Oak 24 in dia. bears S 23 W 11 ths.  
A Do. 16 " " " N 62 W 46 "  
Land rich & 2<sup>nd</sup> rate & the timber  
is W. R. & B. Oak Hickory. Ash Elm, Beech  
Sugar, &c. Mud, & the Saparas Hickory  
Grapevines &c

South On the E. side of sec. 36 T. 37 N. R. 4 W

8.00 To a small lake offset East 3.50 ths.  
12.00 Paid offset &c  
18.74 To a forked Br. Oak 46 in dia. in line  
25.89 To the old state line (N. boundary) 27.69  
West of 36<sup>th</sup> mile post where sec post  
cor. to sec. 39 North Range 374  
West. from which -

a Br. Oak 14 in dia. bears N 45 W 88 ths.  
A Do. 22 " " " N 19 W 166 "  
Land rolling 2<sup>nd</sup> rate & the timber is  
W. & R. Br. Oak N. S. Saparas &c  
June 25<sup>th</sup> 1829, Surveyed by  
Thomas Brown Dep. Sur,

Subdivisions.

South Between sections 1 & 2.

40.00 Set the Dr. sec. cor. post & have a  
mound -  
60.00 Leave the wet prairie,  
61.70 To a W. Oak 18 in dia. in the line,  
80.00 Set a post cor. to sec. 1. 2. 11 & 12  
a Y. Oak 20 in dia. bears S 34 E 67 ths.  
A W. Oak 20 " " " N 32 W 96 "  
Land bearing wet prairie & the

T. 37 N. R. 3 W. 2<sup>nd</sup>, New. Ind.

6.26 timber is G. & W. Oak &c

East On Random between sec. 11 & 12  
 5.50 To an Indian trail cr. W.  
 28.50 " a stream 10 lks. wide cr. NW.  
 40.00 set a tump. 1/4 sec. cor. post  
 52.75 To a stream 10 lks. wide cr. NW.  
 79.94 To the E. line of sec. 30 lks. S. of post

West Correct the line between sec. 11 & 12  
 39.97 set the gr. sec. cor. post from which  
 a Lyman 24 in. dia. bears N 68 W 28 lks. S. of  
 a Sugar 15 " " " N 54 E 10 " "  
 79.94 To the section corner, Land is  
 2<sup>nd</sup> rate bearing & the timber is G. & W. Oak

South Between sections 11 & 12  
 6.00 To an Indian Trail cr. S. W  
 40.00 set the gr. sec. cor. post from wh.  
 a W. Oak 15 in. dia. bears N 2 W 200 lks.  
 56.00 Enter a wet prairie  
 67.00 Leave the " Do.  
 70.00 To a W. Oak 15 in. dia. in the line  
 74.00 Leave the bearing  
 80.00 set the post cor. to sec. 11. 12. 13 & 14  
 a Lyman 18 in. dia. bears S 84 E 21 lks.  
 & a Do. 9 " " " S 85 W 21 "  
 Land is 2<sup>nd</sup> rate bearing & the timber  
 is W. P. & Y. Oak

East On Random between sec. 12 & 13  
 40.00 set the tump. 1/4 sec. cor. post,  
 79.87 To the E. line of sec. 33 lks. S. of post



178

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. West	Correct the line between sec. 12 & 13
39.94	Set the gr. sec. cor. post from which
	a Beech 20 in. dia. bears S 65° W 15 th. dist,
	& a Do. 46 " " " N 54° W 5 " "
79.87	To the sections corner,
	Land rolling soil good, & the timber
	is sugar. Beech, Lyrus Oak Poplar &c
South	Between sections 13 & 14
16.30	To a Beech 20 in. dia. in the line,
40.00	Set the gr. sec. cor. post from which
	a Beech 9 in. dia. bears S 59° W 11 th.
	& a Do. 9 " " " N 89° E 15 " dist,
61.96	To a W. Oak 20 " " in the line,
80.00	Set a post cor. to sec. 13. 14. 23 & 24
	a Sugar 20 in. dia. bears S 84° E 20 th.
	& a Do. 12 " " " S 75° W 43 " dist,
	Land rolling soil good, timber same
East	On Random between sec. 13 & 24
40.00	Set a tripod 1/4 sec. cor. post,
79.80	To the E. line of sec. 33 th. S of post
West	Correct the line between sec. 13 & 24
39.90	Set the gr. sec. cor. post from which
	a Lyrus 36 in. dia. bears S 77° E 20 th. dist,
	& a Do. 48 " " " S 81° W 20 " "
79.80	To the sections corner,
	Land &c. same as on last mile
North	Between sections 23 & 24
15.00	Enter bearings
22.30	To a Poplar 9 in. dia. in the line,
40.00	Set the gr. sec. cor. post from wh.



T. 37 N. R. 3 W. 2<sup>nd</sup> New, Ind.

60.00 a Hickory 18 in. dia. bears N 86 E 290 lbs.  
 & no other,  
 80.00 set a post cor. to sec. 23, 24, 25 & 26.  
 a W. Oak 40 in. dia. bears N 27 W 30 lbs.  
 & a Do 9 " " " S 39 E 12 " dist.  
 Land sup. rate bearing & the timber  
 is G. W. & R. Oak &c. Dec 17<sup>th</sup> 1829.

East On Random between sections 24 & 25  
 25.00 Leave bearing & Ent. dry prairie  
 40.00 Set temporary 4 sec. cor. post.  
 79.91 To the E. line of sec. 9 lbs. S. of post,

West Correct the line between sec. 24 & 25  
 39.95 set the gr. sec. cor. post from which  
 a G. Oak 30 in. dia. bears S 89 W 15.10 lbs.  
 no other as near  
 79.91 To the sections corner. Land is  
 rolling & the soil is 2<sup>nd</sup> rate & the  
 timber is same as before.

South Between sections 25 & 26  
 22.67 To a Lake & set post from wh.  
 a W. Oak 9 in. dia. bears N 31 E 32 lbs.  
 & a Do. 9 " " " S 79 W 9 " dist.  
 29.00 Leave the Lake & set a post from wh.  
 a W. Oak 9 in. dia. bears N 46 W 49 lbs.  
 & a Do. 7 " " " S 24 E 50 "  
 36.00 on margin of same lake set post,  
 a W. Oak 20 in. dia. bears N 26 W 30 lbs.  
 & a Do. 4 " " " N 52 E 25 "  
 40.00 set the gr. sec. cor. in lake  
 80.00 Corner of sec. 25, 26, 35 & 36 in lake.  
 Land bearing on the north & the ~

180

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Co. L. timber is G. W. & Br. Oak &c

East On Random between sec. 25 & 36  
 1.76 Leave Lake & set post  
 40.00 set a temporary  $\frac{1}{4}$  sec. cor. post,  
 48.00 Leave Barrens & Enter prairie  
 80.09 To the E. line of sec. 43 th. S. of post,

West Correct the line between sec. 25 & 36  
 40.07 $\frac{1}{2}$  set the gr. sec. cor. post from which  
 a Br. Oak, 12 in. dia. bears N 87° W 37 th,  
 & no other near  
 80.09 To the section corner,  
 Land is first rate & the timber is  
 Br. Oak. part prairie & part barrens.

South Between sections 35 & 36,  
 18.21 Leave the Lake & set post on margin  
 a W. Oak 28 in. dia. bears S 10° E 90 th,  
 24.10 To the Indian boundy. line & set post,  
 cor. to sec. 35 & 36 from which  
 a Br. Oak 9 in. dia. bears N 70° E 109 th,  
 Land barrens & the timber is Br. Oak,

South Between sections 2 & 3,  
 26.96 To a G. Oak 18 in. dia. in the line,  
 40.00 set the gr. sec. cor. post from which  
 a G. Oak 10 in. dia. bears S 20° W 20 th, rch.  
 & a W. Oak 10 " " " N 30° E 48 " "  
 60.00 To a G. Oak 19 " " in the line,  
 80.00 set a post cor. to sec. 2, 3, 10 & 11 &  
 a G. Oak 30 in. dia. bears N 81° E 21 th,  
 & a W. Oak 18 " " " S 4° E 20 "  
 Land rolling the soil thin. G & W Oak timber.

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer, Ind.

East On Random between sec. 28 & 11  
 40.00 set the tumpy. 1/4 sec. cor. post  
 79.90 To the E. line of sec. 29 1/4 m. S. of post,

West Correct the line between sec. 28 & 11  
 39.55 set the gr. sec. cor. post from which  
 a W. Oak 15 in. dia., bears S 30 E 43 1/2 m. dist.,  
 & a Do. 12 " " " N 69 W 30 " "  
 79.90 To the section corner, Land &c.,  
 is same as on last mile,

South Between sections 10 & 11  
 10.80 To an Indian trail en. W.  
 27.75 " a Y. Oak 18 in. dia., in the line  
 40.00 set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia., bears N 79 W 13 1/2 m.,  
 & a Do. 9 " " " S 83 E 21 "  
 63.96 To a W. Oak 20 " " in the line,  
 80.00 set a post cor. to secs. 10. 11. 14 & 15,  
 & a W. Oak 20 in. dia., bears N 72 E 23,  
 & a Do. 20 " " " N 69 W 29  
 Land rolling 2<sup>nd</sup> rate banner,  
 & the timber is same as before,

East On Random between sections 11 & 14  
 40.00 set a tumpy 1/4 sec. cor. post,  
 45.00 Leave banner  
 79.70 To the E. line of sec. 30 1/4 m. S. of post

West Correct the line between sec. 11 & 14  
 39.85 set the gr. sec. cor. post from which  
 a Hickory 9 in. dia. bears S 10 W 9 1/2 m. dist.,  
 & a Do. 4 " " " N 40 W 23 " "  
 79.70 To the section corner,

182

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

Land is rolling & fertile & the timber  
is same as before, bearing in

East On Random between sec. 11 & 14  
40.00 To tempy. 1/4 sec. cor. post,  
45.00 Leave bearing  
79.70 To the E. boundy. 30 lks. S. of post,

West Correct the line between sec. 11 & 14  
39.85 set the gr. sec. cor. post from wh,  
a Hickory 9 in. dia. bears S 10 W 9 lks. dist,  
to Do. 4 " " " N 40 W 23 " "  
79.70 To the section corner,  
Land level soil good & the timber is  
Lynx, Sugar, Buck, P. M. Oak &c  
Dec. 18<sup>th</sup> 1829. -

South Between sections 14 & 15.  
3.00 Enter a swamp  
10.00 Leave the Do.  
21.20 To a W. Oak 20 in. dia. in the line,  
22.00 Leave bearing  
40.00 set the gr. sec. cor. post from wh,  
an Elm 15 in. dia. bears N 12 W 21 lks,  
to a Buck 20 " " " S 21 E 40 lks. dist,  
56.44 To a Buck 30 " " in the line,  
75.00 Enter bearing  
80.00 set a post cor. to sec. 14, 15, 22 & 23,  
a Hickory 10 in. dia. bears N 35 E 140  
to Do. 6 " " " " N 44 W 120 lks,  
Land level soil good & timber same,

East On Random between sec. 14 & 23  
40.00 set a tempy. 1/4 sec. cor. post,



T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. 50.00	Leave bearing.
79.84	To the E. boundy. at post.
West 37.92	Correct the line between sec. 14 & 23 set the q. r. cor. post from which a W. Oak 18 in. dia. bears S 67° W 19 ths. dist. 4 a Do. 15 " " " N 64° E 21 " "
79.84	To the section corner, Land is rolling soil 2 <sup>nd</sup> rate & the timber is Sugar, Beech, Spruce Oak &c.
South 33.60 40.00 80.00	Between sections 22 & 23, To a G. Oak 18 in. dia. in the line, set the q. r. cor. post from which a W. Oak 9 in. dia. bears S 61° W 10 ths. 4 a Do. 18 " " " N 19° W 42 " set a post cor. to sec. 22. 23. 26 & 27 a W. Oak 9 in. dia. bears S 61° E 18 ths. 4 a Do. 19 " " " " N 19° W 43 " Land sec <sup>o</sup> rate bearing S 4° W Oak &c.
East 16.50 36.29 40.00 80.13	On Random between sec. 23 & 24 To a Lake & st. post from which a G. Oak 20 in. dia. bears N 64° W 11 ths. Leave Lake & set post from which a G. Oak 8 in. dia. bears N 34° E 18 ths. 4 a W. Oak 18 " " " " East 23 " set a temp. q. r. cor. post, To the E. line of sec. 6 ths. dist. of post.
West 40.06	Correct the line between sec. 23 & 24 set the q. r. cor. post from wh. a W. Oak 5 in. dia. bears North 4 ths. dist. 4 a Do. 14 " " " " N 60° E 4 " "



184

T. 37 N. R. 3 W. 3<sup>rd</sup> Mer. Ind.

6 E, 80.13	To the section corner, Land is broken separate banners & the timber is G. W. Oak &c
<hr/>	
South	Between sections 26 & 27.
36.10	To a Lake & set a post from which a W. Oak 18 in. dia. bears S 44 E 78 M, & a Do. 15 " " " N 63 E 55 " dist,
40.00	Dr. sur. cor. is in the lake,
46.00	Leave the Lake & set post from which, a W. Oak 15 in. dia. bears S 50 E 44 M, & a G. Oak 20 " " " N 70 E 90,
55.65	To a G. Oak 10 " " in the line,
80.00	Set a post cor. to sec. 26, 27, 34 & 35 a W. Oak 10 in. dia. bears N 37 E 27 M, & a Do. 7 " " " N 19 W 59 " Land &c. is same as on east mile,
<hr/>	
East	On Random between sec. 26 & 35
20.00	To a Lake & set a post from which a W. Oak 20 in. dia. bears N 44 W 20 M, & a Do. 12 " " " West 83 "
40.00	Dr. sur. cor. post, temp. in lake,
79.96	To the E. line of sec. at post in lake,
<hr/>	
West	Blazed back between sec. 26 & 35
39.95	Dr. sur. cor. in Lake,
79.90	To the section corner, Land &c. is same, as last mile,
<hr/>	
South	Between sections 34 & 35.
24.37	To an Indian boundary, at cor. sec. 34 & 35 in Lake

T. 37 N. R. 3 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>

6.45	South	Between sections 3 & 4
12.00		To a stream 15 lks. wide cr. NW.
19.75		To a Poplar 28 in. dia. in the line
26.13		" " Stream 13 lks. wide cr. NE.
40.00		Set the q. sec. cor. post from which a Spruce 12 in. dia. bears N 6 E 13 lks., & a Do. 10 " " " N 25 W 18 "
47.50		To a stream 12 lks. wide cr. NW.
55.00		Enter canopy
56.90		To a Red Oak 30 in. dia. in the line
68.50		To an Indian trail cr. W.
69.00		Enter a wet prairie
80.00		Set a post cor. to sec. 3, 4, 9 & 10, a Br. Oak 10 in. dia. bears S 7 W 296 lks., & a - no other near Land flat, soil thin & the timber is W. Oak Hickory & ...
East		On Randon between sec. 3 & 10
10.00		Leave the wet prairie
40.00		Set a temporary 1/4 sec. cor. post
41.00		To an Indian trail cr. W.
79.83		To the E. line of sec. at post,
West		Correct the line between sec. 3 & 10
39.91		Set the 2. sec. cor. post from which a G. Oak 15 in. dia. bears S 74 E 56 lks. dia., & a Do. 15 " " " N 59 W 25 " "
79.83		To the section corner, Land 2 <sup>nd</sup> rate, bearing timber G. W. Oak,
South		Between sections 9 & 10
10.00		Leave the prairie
18.96		To a W. Oak 20 in. dia. in the line,

T. 37 N. R. 3 W. 2<sup>d</sup> Mo., Ind.

62.13	Entered a wet prairie
34.00	Leave the " Do,
40.00	Set the 2 <sup>d</sup> , Sec. cor. post from which a W. Oak 18 in. dia. bears North 57 <sup>th</sup> dist., to Do. 24 " " " N 10 E 57 " "
62.13	To a G. Oak 10 in. dia. in the line,
80.00	Set a post cor. to sec. 9, 10, 15 & 16, a G. Oak 24 in. dia. bears S 12 E 63 <sup>th</sup> dist., to Do. 4 " " " " N 10 W 29 " Land is rolling & sec. rate bearing & the timber is G. W. Oak &c. Dec. 19 <sup>th</sup> 1829.
<hr/>	
East	On Hand one between sections 10 & 15
40.00	Set a tumpy. 1/4 sec. cor. post,
79.78	To the E. line of sec. 30 <sup>th</sup> dist. of post,
<hr/>	
West	Correct the line between sec. 10 & 15
39.89	Set the gr. sec. cor. post from which a G. Oak 30 in. dia. bears N 48 W 50 <sup>th</sup> dist., to Do. 18 " " " " S 80 W 70 "
79.78	To the sections corner, Land &c is the same as on the last mile,
<hr/>	
South	Between sections 15 & 16
24.10	To a W. Oak 10 in. dia. in the line
40.00	Set the gr. sec. cor. post from which a G. Oak 15 in. dia. bears S 89 E 23 <sup>th</sup> dist., to Do. 18 " " " " S 34 W 47 "
57.50	To a Red Oak 30 in. dia. in the line
80.00	Set a post cor. to sec. 15, 16, 21 & 22, a Br. Oak 10 in. dia. bears N 68 E 45 <sup>th</sup> dist., to Do. 9 " " " " S 16 W 23 " Land very broken soil thin & the timber is G. W. & Br. Oak,

T. 37 N. R. 3 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>

E. S.  
 East On Random between Secs. 15 & 22,  
 40.00 Set a temporary. 1/4 sec. cor. tree,  
 79.45 To the E. line of secs. 60 th. S. of post,

West Correct the line between Secs. 15 & 22  
 39.72 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears N 74 E 165 ths,  
 & no other timber handy,  
 79.45 To the section corner, —  
 Land &c. is same as on last mile

North Between sections 21 & 22,  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 12 in. dia. bears S 72 W 7 ths,  
 & a Do 9 " " " N 26 E 30 "  
 75.20 To a Br oak 7 " " in the line,  
 80.00 Set a post cor. to secs. 21, 22, 27 & 28,  
 a Br. Oak 10 in. dia. bears N 68 E 75 ths,  
 & a Do 9 " " " S 16 W 23 " dist,  
 Land rolling at 1<sup>st</sup> rate leaning &  
 the timber is Br. Oak &c

East On Random between Secs. 22 & 27  
 10.81 To a Lake & set post from which  
 a W. Oak 20 in. dia. bears N 23 W 10 th. dist  
 & a & a 2. Oak 9 " " " S 11 W 35 " "  
 40.00 3/4 sec. cor. (temporary) in Lake,  
 54.30 Leave the Lake & set post from wh,  
 a W. Oak 12 in. dia. bears N 74 E 13 ths  
 & a Do. 12 " " " S 62 E 17 "  
 79.73 To the E. boundary of sec. 10 th. S. of  
 post, Land broken 2<sup>nd</sup> rate & the  
 timber is W & Br Oak &c. Barrens



T. 39 N. R. 3 W. 2<sup>nd</sup> New. Ind.

6.26	West	Correct the line between sec. 22 & 27
39.86		Dr. sur. cor. in the Lake,
79.73		To the section corner,
<hr/>		
	South	Between sec. 27 & 28,
10.00		To a Lake & set a post from which
		a W. Oak 15 in. dia. bears N 39° W 13 <sup>th</sup> ,
		& a Do. 18 " " " S 72° W 53.
40.00		Dr. sur. cor. is in the Lake,
76.60		Leave the Lake & set a post from wh.
		a W. Oak 9 in. dia. bears S 83° W 10 <sup>th</sup> ,
		& a Do. 8 " " " South 13.
80.00		Set a post cor. to sec. 27, 28, 33 & 34
		a Y. Oak 18 in. dia. bears N 15° W 15 <sup>th</sup> ,
		& a Do. 12 " " " East 32. 8 <sup>th</sup>
		Land separate bearing & the timber
		& S. W. & Br. Oak &c
<hr/>		
	East	On Random between sec. 27 & 34
5.05		To a Lake & set a post from which
		a Y. Oak 9 in. dia. bears S 57° W 29 <sup>th</sup> 8 <sup>th</sup> ,
		& a Do. 24 " " " N 68° W 116 " "
40.00		Dr. sur. cor. is in the lake,
59.50		Leave the lake & set post from wh.
		a Y. Oak 18 in. dia. bears S 10° E 12 <sup>th</sup> 8 <sup>th</sup> ,
		& a Do. " " " " N 72° E 19 " "
64.08		To a Lake & set a post from which
		a W. Oak 15 in. dia. bears S 19° W 33 <sup>th</sup> ,
		& a W. Oak 12 " " " N 39° W 12.
79.82		Leave Lake at E. boundary
<hr/>		
	West	Correct between sec. 27 & 34
39.91		Dr. sur. cor. is in the lake
79.82		To the section corner,



T. 37 N. R. 3 W. 2<sup>nd</sup>. Nov. Ind.

Co. L. South	Between sections 33 & 34
12.96	To a W. Oak 18 in. dia. in the line,
24.63	To the old Indian Boundary, set post,
	corner, to sec. 33 & 34 from which
	a G. Oak 18 in. dia. bears N 22 E 24 ft.,
	& a W. Oak 12 " " " N 62 W 26 "
	Land rolling & 2 <sup>nd</sup> rate barning & the
	timber is G. W. & R. Oak. Dec. 20 <sup>th</sup> 1829,
South	Between sections 4 & 5
18.90	To a W. Oak 10 in. dia. in the line,
40.00	Set a gr. sec. cor. post from which
	a Hickory 9 in. dia. bears N 40 W 16 ft. 8 in.,
	& a W. Oak 30 " " " N 45 W 34 " "
50.50	To an Indian trail on N.W.
57.00	To a G. Oak 40 in. dia. in the line,
80.00	Set a post cor. to sec. 4, 5, 8 & 9 from wh.
	a G. Oak 36 in. dia. bears N 80 W 16 ft. 8 in.,
	& a Do. 10 " " " N 36 E 55 " "
	Land level & 2 <sup>nd</sup> rate Barning & the
	timber is G. W. & R. Oak,
East	On Random between sec. 4 & 9
40.00	Set a temp. 1/4 sec. cor. post,
62.00	Enter a wet prairie
79.98	To the E. line of sec. 22 1/2 m. S. of post,
West	Correct the line between sec. 4 & 9
39.99	Set the gr. sec. cor. post from wh.
	a G. Oak 12 in. dia. bears N 48 E 50 ft.,
	& a W. Oak 13 " " " N 16 E 7 ft. 8 in.
79.98	To the sec. corner
	Land & timber is same as last mile,

190

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.;

6. L.  
South Between sections 8 & 9  
27.12 To a Y. Oak 24 in dia. in the line.  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 18 in dia. bears N 53 E 5<sup>th</sup>,  
+ a Y. Oak 20 " " " S 26 W 38 " dia.  
60.00 To a Y. Oak 23 " " in the line,  
80.00 Set a post cor. to sec. 8, 9, 16 & 17,  
a W. Oak 15 in dia. bears N 12 W 50<sup>th</sup>,  
+ a Y. Oak 18 " " " N 71 E 75 " "  
Land rolling & separate the timber,  
W. & Y. Oak - Barren,

East On Random between sec. 9 & 16  
40.00 Set the gr. sec. cor. post (temporary)  
80.09 To the E. boundary of sec. 15 the S. of post

West Correct the line between sec. 9 & 16  
40.04 Set the gr. sec. cor. post from which  
a Y. Oak 30 in dia. bears N 72 E 41<sup>th</sup>,  
+ a W. Oak 18 " " " S 67 E 62 " dia.  
80.09 To the section corner,  
Land broken soil thin & the timber,  
is Y. W. & R. Oak & —

South Between sections 16 & 17  
23.96 To a Y. Oak 18 in dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 25 in dia. bears N 55 W 52<sup>th</sup>,  
+ a Do. 40 " " " N 39 E 53 "  
58.30 To a W. Oak 32 " " in the line,  
80.00 Set a post cor. to sec. 16, 17, 20 & 21,  
a Bl. Ash 9 in dia. bears N 60 E 9<sup>th</sup> the post  
+ a Do. 12 " " " S 32 W 13 "  
Land broke 32 ft to Y. W. & R. Oak barren

T. 37 N. R. 3 W. 2<sup>d</sup> Mer. Ind.

East On Random between sec. 16 & 21  
 40.00 Set the temporary  $\frac{1}{4}$  sec. cor. post,  
 79.95 To the E. boundary of sec. 3  $\frac{1}{4}$  m. S. of post

West Correct the line between sec. 16 & 21  
 39.97 Set the 2<sup>d</sup> sec. cor. post from which  
 are Ironwood 9 in dia. bears N63E25 $\frac{1}{2}$  ft,  
 & a Do. 19 " " " N63W17"  
 Land & timber is same as on last mile,

South Between sections 20 & 21,  
 18.65 To a W. Oak 12 in dia. in the line,  
 40.00 Set the 2<sup>d</sup> sec. cor. post from which  
 a Br. Oak 4 in dia. bears East 6  $\frac{1}{2}$  m. dist,  
 & a Do. 5 " " " N43W36 " "  
 80.00 Set a post cor. to sec. 20 & 21, 28 & 29  
 a Br. Oak 25 in dia. bears N44W58  $\frac{1}{2}$  m. dist,  
 & a Do. 8 " " " S82E97 " "  
 Land rolling & 2<sup>d</sup> rate bearing & the  
 timber is Br. Oak scrubby. Dec. 21<sup>st</sup> 1829

East On Random between sec. 21 & 28  
 40.00 Set a temporary  $\frac{1}{4}$  sec. cor. post,  
 79.90 To the E. line of sec. 29  $\frac{1}{4}$  m. S. of post,

West Correct the line between sec. 21 & 28  
 39.95 Set the gr. sec. cor. post, from wh,  
 a Br. Oak 7 in dia. bears N2E25  $\frac{1}{2}$  m.,  
 & a Do. 12 " " " S48E71 "  
 79.90 To the sections corner,  
 Land &c. is same as on last mile,

South Between sections 28 & 29  
 22.20 To a Br. Oak 15 in dia. in the line

T. 37 N. R. 3 W. 2<sup>nd</sup>, New, Ind.<sup>a</sup> 192

E. L.

40.00

Set the Dr. sec. cor. post from which  
a Br. Oak 10 in dia. bears S 21 W 58 M,  
La Do. 9 " " " N 68 E 44 "

80.00

Set a post cor. to sec. 28, 29, 32 & 33  
a W. Oak 10 in dia. bears South 115 M.  
La Br. Oak 6 " " " N 26 W 53 "  
Land is broken soil & thin timber  
& similar to that on last mile

East

62

On Random between sec. 28 & 33.  
To a Lake & set a post from which  
a Br. Oak 5 in dia. bears at 31 W 101 M,  
La Do. 9 " " " N 4 E 102 "

18.76

Leave the Lake & set a post from wh.  
a G. Oak 30 in dia. bears at 18 W 3 M,  
La W. Oak 9 " " " S 52 E 44 " dib,

37.71

To another Lake & set a post from wh.  
a W. Oak 20 in dia. bears at 57 W 224 M,  
La G. Oak 12 " " " S 2 E 115 " dib,

40.00

Dr. sec. cor. in Lake.

55.00

Leave the Lake & set post from wh.  
a G. Oak 24 in dia. bears at 20 W 3 M,  
La W. Oak 20 " " " S 85 E. - "

79.70

To the E. line of sec. at post,

West

39.85

Correct the line between sec. 28 & 33.

79.70

Dr. sec. cor. post or cor. in the Lake,  
To the sections corner,  
Land is broken & 2<sup>nd</sup> rate Barrens  
& the timber is G. & W. Oak & -

South

24.90

Between sections 32 & 33,  
To Indian boundary, & set post  
cor. sec. 32 & 33 - from which



T. 37 N. R. 3 W. 2<sup>d</sup>, New, Ind<sup>a</sup>

C. L. a Br. Oak 5 in. dia. bears N 87 E 115 ft.,  
 & a Do. 8 " " " N 38 W 283 ft.,  
 Land is rolling & sec. rate banners,  
 & the timber is small Br. Oak &c

South Between sections 5 & 6,  
 16.50 To an Indian trail cr. W.  
 28.00 " a W. Oak 18 in. dia. in the line,  
 36.30 " " Stream 10 ft. wide cr. NW,  
 40.00 set the gr. sec. cor. post from which  
 a Hickory 8 in. dia. bears N 53 W 10 ft.,  
 & a W. Oak 7 " " " N 62 E 10 "  
 80.00 set a post cr. to sec. 5, 6, 7 & 8, -  
 a Br. Oak 8 in. dia. bears N 6 W 30 ft.,  
 & a Do. 9 " " " N 19 E 117 ft.,  
 Land level & 2<sup>d</sup> rate banners &  
 the timber is Hickory W & Br. Oak

East On Random between sec. 5 & 8,  
 40.00 set the tempy Br. sec. cor. post  
 79.92 To the E. boundary of sec. 6 3 ft.,  
 North of post

West Correct the line between sec. 5 & 8  
 39.96 set the gr. sec. cor. post from wh.,  
 a Y. Oak 19 in. dia. bears N 68 E 20 ft.,  
 & a Do. 20 " " " N 60 E 52 "  
 79.92 To the sections corner,  
 Land &c, same as last mile,

West Between sections 6 & 7  
 40.00 set the gr. sec. cor. post from which  
 a W. Oak 10 in. dia. bears S 55 W 11 ft.,  
 & a Do. 13 " " " N 75 E 41 "

T. 37 N. R. 3 W. 2<sup>nd</sup>. Mer. Ind.

Co. L,  
58.40 To a Y. Oak 9 in. dia. in the line  
79.03 To the W. boundary, 30 lbs. S. of post,  
Set a post cor. to sec. 6 & 7. from wh.  
a Y. Oak 12 in. dia. bears East 22 lbs.  
To a Do. 10 " " " S 43 E 32 "  
Land rolling & 2<sup>nd</sup> rate timber & the  
timber is Y & W. Oak &c

South Between sections 7 & 8,  
25.61 To a Y. Oak 18 in. dia. in the line  
40.00 Set the gr. sec. cor. post from wh.  
a Y. Oak 12 in. dia. bears N 81 W 31 lbs.  
To a Hickory 9 " " " N 80 E 53 "  
59.96 To a Hickory 9 " " in the line  
80.00 Set a post cor. to sec. 7, 8, 17 & 18 -  
a Y. Oak 20 in. dia. bears N 34 W 25 lbs.  
To a W. Oak 12 " " " S 71 E 40 "  
Land bearing rec. rate & the timber  
is same as on last mile,

East On Random between sec. 8 & 17  
40.00 Set a temporary 1/4 sec. cor. post  
79.62 To the E. line of sec. 54 lbs. N. of post,

West Correct the line between sec. 8 & 17  
39.81 Set the Dr. sec. cor. post from wh.  
a Y. Oak 18 in. dia. bears N 40 W 3 lbs.  
To a Do. 18 " " " N 83 E 31 "  
79.62 To the sections corner,  
Land &c. is same as on last mile  
Dec. 22<sup>nd</sup> 1829.

Mark Between sections 7 & 18,  
21.25 To a Y. Oak 18 in. dia. in the line,

T. 37 N. R. 3 W. 2<sup>nd</sup> New Ind<sup>a</sup>

Co. 26,  
 40.00 Set the gr. sec. cor. post from which  
 a G. Oak 20 in dia. bears N 64° W 14.5 lbs. dist.  
 & a Do. 14 " " " N 27° E 29 " "  
 59.90 To a G. Oak 20 " " in the line,  
 80.75 To the W. boundary, 63 lbs. S. of post  
 & set a post cor. to sec. 7 & 18 from wh.  
 a W. Oak 15 in dia. bears East 65 lbs.  
 & a Do. 10 " " " N 36° E 108 "  
 Land &c. is same as last mile,

South Between sections 17 & 18,  
 21.08 To a W. Oak 16 in dia. in the line,  
 40.00 set the gr. sec. cor. post from wh.  
 a G. Oak 30 in dia. bears N 26° E 36 lbs.  
 & a W. Oak 12 " " " S 73° W - "  
 62.55 To a G. Oak 24 " " in the line,  
 80.00 set a post cor. to sec. 17, 18, 19 & 20,  
 a W. Oak 12 in dia. bears N 21° E 45 lbs.  
 & a Do. 20 " " " S 75° W 57 "  
 Land rolling & 2<sup>nd</sup> rate barns &  
 the timber is G. W & R Oak &c

East On Ransom between sec. 17 & 20,  
 40.00 set the temp. 1/4 sec. cor. post,  
 79.93 To the E. boundary, 31 lbs. S of post

West Correct the line between sec. 17 & 20  
 39.96 set the 2<sup>nd</sup> sec. cor. post from which  
 a W. Oak 12 in dia. bears N 1° E 32 lbs.  
 & a Do. 40 " " " S 78° W 90 "  
 79.93 To the sections corner,  
 Land & timber is same as last.

West Between Sec. 18 & 19

S. 37. S. R. 3 W. 2<sup>nd</sup>. Sec. 1, Ind.<sup>a</sup>

60.20	Set the gr. sec. cor. post from which
40.00	a W. Oak 18 in dia, bearing S 3 E 73 <sup>th</sup> , + a Hickory 9 " " " S 71 W 101 "
63.10	To a Do. 9 " " in the line
82.20	in the W. boundary, 81 <sup>th</sup> S. of post + set a post cor. to sec. 18 & 19 - + a W. Oak 9 in dia, bearing N 37 E 10 <sup>th</sup> , + a Do. 14 " " " S 76 E 16 " Oak, Land &c. & the timber is same as last,

South Between sections 19 & 20	
20.60	To a Y. Oak 20 in dia, in the line
40.00	Set the gr. sec. cor. post from which a W. Oak 15 in dia, bearing S 57 E 42 <sup>th</sup> , + a Hickory 28 " " " S 53 W 59 "
60.60	To a W. Oak 12 " " in the line,
80.00	Set a post cor. to sec. 19, 20, 29 & 30, a W. Oak 45 in dia, bearing N 8 W 75 <sup>th</sup> , + a Do. 20 " " " S 8 W 53 " Land broken & 2 <sup>nd</sup> rate & the timber is Y. W. Oak & Hickory &c

East On Random between sec. 20 & 29	
40.00	Set a temp. 1/4 sec. cor. post,
80.10	To the E. line of sec. 10 & 11, N. of post,

West Correct the line between sec. 20 & 29	
40.05	Set the gr. sec. cor. post from wh, a Br. Oak 9 in dia, bearing S 65 E 70 <sup>th</sup> , + a - no other nears,
80.10	To the section corner, Land rolling & somewhat other timber is Br. & W. Oak & Banners.



T. 39 N. R. 3 W. 2<sup>nd</sup> Mer, Ind.6.25  
West

Between sections 19 &amp; 30

10.00 Leave bearing &amp; Enter thick woods

28.65 To a Red Oak 9 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a G. Ash 14 in dia. bears S 35 W 12 1/2 in. dist.  
& a Beech 12 " " " N 35 E 10 " "

59.75 To a W. Oak 12 " " in the line,

83.90 To the W. boundary 100 yds. S. of post Oak  
post corner to Secs. 29 & 30 from which  
a Hickory 7 in. dia. bears S 42 E 8 1/2 in. dist.  
an Ironwood 9, " " S 69 E 23 1/2 in. dist.  
Land flat soil thin & the timber is  
sugar Beech Hickory & G. Ash &

South

Between sections 29 &amp; 30,

20.59 To a Hickory 12 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a W. Oak 30 in. dia. bears North 296 yds.  
& a G. Ash 8 " " " N 80 W 98 " dist.

64.03 To a Br. Oak 20 in. dia. in the line,

80.00 Set a post cor. to sec. 29, 30, 31 & 32,  
a Br. Oak 9 in. dia. bears S 4 E 5 1/2 in. dist.  
& no other near,  
Land &c is same as on last mile,  
Dec. 23<sup>rd</sup> 1829.

East On Random between sec. 29 &amp; 32

40.00 Set a temporary 1/4 sec. cor. post

80.23 To the E. boundary of sec. 33 1/2 in. dist.  
of post. Land rolling & 2<sup>nd</sup> rate &  
timber is W & Br. Oak &c. Bearing

West

Correct the line between sec. 29 &amp; 32

40.11 Set the gr. sec. cor. post from which

T. 37 N. R. 3 W. 2<sup>nd</sup>. Nov. Ind.

6.26  
40.11 Set the gr. sec. cor. post from which  
a Br. Oak 12 in dia. bears S 32 E 50 ft.,  
& a no other means—  
80.23 To the section corner,

West Between sections 30 & 31  
23.25 To a Br. Oak 20 in dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a W. Oak bears East 24 ft. dist.  
a Dr. 8 in dia. " S 13 W 5 " "  
66.24 To a W. Oak 18 in dia. in the line,  
85.03 To the West boundary, 120 ft. S. of post,  
Set post cor. to Secs. 30 & 31 from which  
a W. Oak 20 in dia. bears S 85 E 3 ft. dist.,  
& a Dr. 24 " " " N 60 E 55 " "  
Land is rolling & 2<sup>nd</sup> rate bearing  
& the timber is Hickory, Br., W. & R. Oak

South Between sections 31 & 32,  
25.30 To Indian boundary. Set post cor.,  
Secs. 31 & 32 from which  
a Br. Oak 3 in dia. bears N 46 E 9 ft. dist.,  
& a Dr. 5 " " " N 26 W 36 " "  
Land rolling & 2<sup>nd</sup> rate Br. Oak &c.,  
finished. Dec. 24<sup>th</sup> 1829.

Meanders of a Lake in sec. 25. 26. 27  
34. 35 & 36 - Begin on the E. side of  
the E. side of Lake at Indian boundary  
Corner to Sec. Remarks, in. in 35  
N 50 E 9.40 To post between sec. 35 & 36

N 38 E 5.50 in sec. 36  
N 5 E 9.00

S. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>

Common Co. L. Meanders continued  
 N 18<sup>1</sup>/<sub>2</sub> W 7.30 In sec. 36 to post between 25 & 26

N 46<sup>1</sup>/<sub>2</sub> E 14.00 In sec. 25

N 39<sup>1</sup>/<sub>2</sub> W 8.50

N 54<sup>1</sup>/<sub>2</sub> E 9.50

N 6 E 9.50

N 36<sup>1</sup>/<sub>2</sub> W 10.00

N 16 E 6.00

N 49<sup>1</sup>/<sub>2</sub> E 4.50

N 23<sup>1</sup>/<sub>2</sub> W 6.00

N 41<sup>1</sup>/<sub>2</sub> W 9.50

N 59<sup>1</sup>/<sub>2</sub> W 6.60 To post between sec. 25 & 26

S 84<sup>1</sup>/<sub>2</sub> W 2.10

South 6.00

East 2.00

In sec 26. (26)

To post between sec. 25 & 26

S 29<sup>1</sup>/<sub>2</sub> E 5.50

South 7.00

N 29<sup>1</sup>/<sub>2</sub> W 5.50 To post between 25 & 26,

N 69<sup>1</sup>/<sub>2</sub> W 2.27

S 34<sup>1</sup>/<sub>2</sub> W 5.00

N 11 E 7.50

N 47<sup>1</sup>/<sub>2</sub> W 2.50

N 40<sup>1</sup>/<sub>2</sub> W 7.50

N 47<sup>1</sup>/<sub>2</sub> W 7.00

S 39<sup>1</sup>/<sub>2</sub> E 14.00

S 5 E 4.00

N 64<sup>1</sup>/<sub>2</sub> W 6.00

N 84<sup>1</sup>/<sub>2</sub> W 11.50

S 33<sup>1</sup>/<sub>2</sub> W 9.00

N 46<sup>1</sup>/<sub>2</sub> W 9.50

In section 26

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

Course to L. Meandering continued

S 70° W 6.00

S 29° W 11.00

S 84° W 7.50

N 23° W 4.00

S 86° W 13.50

S 9° E 11.00

To post between sec. 26 &amp; 35

S 11° W 7.00

In sec. 35,

S 40° E 12.50

S 45° W 8.50

N 35° W 5.00

N 70° W 10.00

N 21° W 9.00

N 46° W 5.00

N 24° W 3.00

To post between sec. 26, 27, 34 &amp; 35

N 43° W 4.50

In sec. 29

N 79° W 4.50

S 84° W 4.50

S 47° W 5.20

To post between sec. 29 &amp; 34

S 34½° W 6.00

In sec. 34.

N 88° W 4.50

N 43° W 5.00

S 9° E 9.00

S 85° W 9.00

West 25.00

S 9° E 6.25

To an Indian boundary, line  
West side of the Lake,

S 22° W 9.00

Meandering of Lake in sec.  
23 & 26. Begin at West post  
In sec. 26.



T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

Copper Co. L. Meanders continued

S54E 6.00 In sec. 24

N81E 3.00

S50E 7.00

S9E 7.00

S66E 5.00

S86E 9.00

S24W 8.00

S63E 9.00

S48E 8.00

N82E 8.50

N41E 7.00

N18W 4.00

N47W 11.50

N11W 3.50

N40W 12.50

N20W 3.00

N31W 6.00

N58½W 7.10 To post between sec 23 &amp; 24

N40W 1.00

In sec 26,

N26E 10.00

N56W 8.00

N30E 4.00

N11W 4.50

N20E 7.50

N88W 7.00

N9E 3.50

N39E 8.50

S80E 7.00

N61E 4.00

S45E 4.00

S3½W 13.00

S39E 7.50

202

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>

Comm C. L.		Meandering continued,
N65E	3.00	In sec. 26,
N3W	16.50	
N36W	15.50	
N73W	8.50	
N44W	10.00	
N38E	10.50	
N39W	12.00	
N43W	16.00	
S1W	17.50	
S62W	7.00	
S40E	6.50	
S7E	6.00	
S43E	7.50	
S9E	10.00	
S66W	9.00	
S37 $\frac{1}{2}$ W	9.00	
S62E	7.50	
S8W	2.91	To the place of beginning,

		Meanders of a Lake in
		Secs. 22, 26, 27 & 28. & 34 -
		Begin at post between sec 26 & 27
		In sec. 27
N15W	19.00	
N62W	20.50	
N39W	1.00	
N11W	8.00	To post between sec 22 & 27
N32 $\frac{1}{2}$ W	8.50	In sec. 22
N6W	7.50	
N42W	7.00	
N79W	16.00	
S57W	8.50	
S21W	10.50	

T. 37 N. R. 3 W. 2<sup>nd</sup> New, Ind.

Comm C. L.		Meandering continued,
S 38 W	11.00	To post between sec. 22 & 29

S 43 W	8.00	In sec. 29
S 39 W	6.90	To post between sec. 27 & 28

S 16 W	16.50
--------	-------

West	7.00
------	------

South	10.00
-------	-------

East	6.50
------	------

S 16 E	8.50
--------	------

S 83 W	4.00
--------	------

S 41 W	6.50
--------	------

N 62 W	7.50
--------	------

N 14 W	5.50
--------	------

S 60 W	5.00
--------	------

S 88 W	8.50
--------	------

N 70 1/2 W	6.00
------------	------

S 75 W	2.50
--------	------

N 62 W	6.50
--------	------

S 49 W	4.00
--------	------

S 19 1/2 E	3.50
------------	------

S 7 E	8.50
-------	------

S 70 E	11.50
--------	-------

N 73 E	11.00
--------	-------

S 32 E	16.00
--------	-------

N 73 E	7.50
--------	------

S 24 1/2 E	5.50
------------	------

S 41 E	9.00
--------	------

East	2.00
------	------

To post between sec. 27 &amp; 28,

S 56 E	6.10
--------	------

To post between sec. 29 &amp; 34

S 38 E	10.50
--------	-------

In sec. 34

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

Comm. to L. Meanders continued,		
N 28 1/2 E	8.00	
N 72 E	5.00	
N 87 E	11.00	
N 64 E	18.50	
N 60 E	11.50	
N 37 E	2.90	To post between sections 27 & 34
<hr/>		
N 30 E	26.00	In sec. 27,
N 32 E	13.60	To post between sec. 26 & 27
<hr/>		
N 8 E	5.00	In sec. 26
N 8 W	5.00	To post between sec. 26 & 27
		To place of beginning
<hr/>		
Meanders of a Lake in sec. 28 & 33. Begin at post in Indian boundary, thence		
North	10.75	In sec. 33
N 20 W	12.50	
N 50 W	3.23	To post between sec. 28 & 33
<hr/>		
N 22 W	5.00	In sec. 28.
N 2 E	7.00	
N 18 W	5.00	
N 19 E	5.00	
N 87 E	5.00	
N 72 E	10.00	
N 17 E	22.50	
N 42 W	3.27	To post between sec. 28 & 33,
<hr/>		
N 45 E	5.50	In sec. 33.
N 31 E	4.00	
N 10 E	9.00	



T. 39 N. R. 3 W. 3<sup>rd</sup>. Nov. Ind.

Comm. to L.	Meanders Continued,
S 27 W 10.50	To an Indian boundary,
<hr/>	
N 29 W 14.80	Meanders of a Lake in sec.
North 8.50	28 & 33. Begin at post on W,
N 36 W 3.97	side of lake at Indian boundary,
	In sec. 33,
	To post between sec. 28 & 33,
<hr/>	
North 14.50	In sec. 28,
S 77 E 15.00	
S 31 E 4.00	
S 12 E 5.50	
S 10 E 2.80	To post between sec. 28 & 33,
<hr/>	
S 4 W 3.50	In sec. 33
S 16 W 11.00	
N 43 E 14.00	To Indian boundary,
	Thos. Meadum Dep. Sur,

Pursuant to a contract dated Sept 18<sup>th</sup> 1829, & instructions from William Leitch Surveyor General of the U. States, I have surveyed & subdivided into sections the foregoing Township in Indiana, described in said contract. And I certify that the foregoing are correct & true field notes of the line which they purport to be as part of said contract.

Certified this 4<sup>th</sup> of February 1830,  
Thomas Meadum D. Sur.

206  
T. 37 N. R. 3 W. Mer. Ind.<sup>a</sup>

I certify that the foregoing transcript of  
field notes of Township 37 North Range  
3 West 2<sup>nd</sup> Mer. Indiana, has been com-  
pared with the original in this office  
& found to be correct.

E. D. Haines  
Sur. Genl.

Surveyor General's office,  
Cincinnati. May 10<sup>th</sup> 1842.